
Docker ?? Homer ????



Homer□□□□□□□□□□ **yaml □□□□□□□□□□□□**

?? Homer

□□□□ **Portainer□□□□□□□** **Portainer**

Docker□□□□□□□

```
mkdir /var/lib/docker/volumes/homer/assets
```

□□□□□□□□□ **uid □ gid 1000 □□□□□□□□□□□**

```
chown -R 1000:1000 /var/lib/docker/volumes/homer/assets
```

Portainer□□□□□□□□

```
services:
  homer:
    image: b4bz/homer:latest
```

```
    container_name: homer
    volumes:
      - /var/lib/docker/volumes/homer/assets:/www/assets # Make sure your local config
directory exists
    ports:
      - 9003:8080
    environment:
      - INIT_ASSETS=1 # default, requires the config directory to be writable for the
container user (see user option)
    restart: always
```


□ `assets`□□ `config.yml.dist`□□□ `config.yml`

```
cd /var/lib/docker/volumes/homer/assets
cp config.yml.dist config.yml
```

□□ `config.yml`□□□

```
        logo: "assets/icons/custom/portainer.png"
        url: "http://192.168.155.245/"
```

□□ `IP:9003` □□□□□□ **Homer□□**



Revision #1
Created 18 November 2025 10:59:49 by Jason
Updated 18 November 2025 11:24:41 by Jason