Linux SSH KEY ?????

□□ Key

```
ssh-keygen
```

□□□ Server□

```
ssh-copy-id -i your_key_path username@server_host
```

□□□□

```
cat ~/.ssh/id_rsa.pub | ssh user@192.168.0.100 'mkdir -p ~/.ssh && chmod 700 ~/.ssh && cat >>
~/.ssh/authorized_keys && chmod 600 ~/.ssh/authorized_keys'
```

□□ `ssh username@server_host` □□□□□

□□□□□□□□□

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@         WARNING: UNPROTECTED PRIVATE KEY FILE!          @
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
Permissions 0777 for '/var/services/homes/user/.ssh/id_rsa' are too open.
It is required that your private key files are NOT accessible by others.
This private key will be ignored.
Load key "/var/services/homes/user/.ssh/id_rsa": bad permissions



□□ □□ (id_rsa) □□□□ (0777)□SSH □□□□□□□□□□□□□□□□ key

# □□ .ssh □□□□□
chmod 700 ~/.ssh

# □□□□□□ (□□□□□□)
chmod 600 ~/.ssh/id_rsa

# □□□□
chmod 644 ~/.ssh/id_rsa.pub
```

Revision #3
Created 8 August 2025 15:53:27 by Jason
Updated 27 August 2025 15:43:41 by Jason