

PVE LXC ?? NFS

????

- PVE 8.4
- LXC Debian 12

?? CT

||||| NFS |||||

概觀

主控台

資源

網路

DNS

選項

作業記錄

備份

複寫

快照

建立: LXC 容器

一般

範本

磁碟

CPU

記憶體

網路

DNS

確認

節點:

lab-pve

資源集區:

CT ID:

104

密碼:

主機名稱:

確認密碼:

無特權容器:

☐

SSH 公鑰:

巢狀:

☐

載入 SSH 金鑰檔案

||||| NFS ||||

節點 lab-pve 上的容器 103 (pbs) 無標籤

概觀

主控台

資源

網路

DNS

選項

作業記錄

備份

複寫

快照

防火牆

權限

編輯

還原

開機後自動啟動否

啟動/關機順序order=any

作業系統類型debian

架構amd64

/dev/console

TTY 數量

主控台模式

保護

無特權容器

功能

編輯: 功能

keyctl:

限定無特權模式

巢狀:

NFS:

SMB/CIFS:

FUSE:

建立裝置節點:

實驗性質

完成

?? NFS Client

```
apt install nfs-common
```

```
systemctl start rpcbind && systemctl enable rpcbind
```

?? NFS ??

☐☐ **NFS** ☐☐☐☐☐☐☐☐

```
root@pbs:~# showmount -e 192.168.0.1
Export list for 192.168.0.1:
/volume1/file          10.0.0.250/32
```

☐☐☐☐☐

```
mkdir /backup
```

□□ NFS □□□□□□□□ **soft □□□□□□□□** **IO □□□□□□□□□□**

```
mount -t nfs -o soft 192.168.0.1:/volume1/file/backup /backup
```

```
root@pbs:~# mount |grep backup
192.168.0.1:/volume1/file/backup on /backup type nfs
(rw,relatime,vers=3,rsiz=131072,wsiz=131072,namlen=255,soft,proto=tcp,timeo=600,retrans=2,sec=sys,mountaddr=192.168.0.1,mountvers=3,mountport=892,mountproto=udp,local_lock=none,addr=192.168.0.1)
```

Revision #1

Created 16 November 2025 04:07:30 by Jason

Updated 16 November 2025 04:20:51 by Jason